



SAFETY DATA SHEET

JELLY BELLY 3D AIR FRESHENER - Margarita

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name JELLY BELLY 3D AIR FRESHENER - Margarita

Product number 15261

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Air Freshener

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Custom Accessories Europe
The Granary
Standen Manor
Hungerford
Berkshire
RG17 0RB
UK
T: +44 (0) 1488 662770
F: +44 (0) 1488 662771
E: info@caeurope.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 1488 662770 (9:00-17:00 Monday - Friday)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Pictogram



Signal word Warning

Hazard statements H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

JELLY BELLY 3D AIR FRESHENER - Margarita

Precautionary statements

P102 Keep out of reach of children.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P501 Dispose of contents/ container in accordance with local regulations.

Contains

dipentene, citral, linalool, orange oil, damascone delta

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

dipentene 2.5 - <5% CAS number: 68956-56-9 EC number: 273-309-3
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411
citral 1 - <2.5% CAS number: 5392-40-5 EC number: 226-394-6
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317
linalool 1 - <2.5% CAS number: 78-70-6 EC number: 201-134-4
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317
orange oil 1 - <2.5% CAS number: 8008-57-9 M factor (Chronic) = 1
Classification Flam. Liq. 3 - H226 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 1 - H410

JELLY BELLY 3D AIR FRESHENER - Margarita

pentyl acetate		0.5 - <1%
CAS number: 628-63-7	EC number: 211-047-3	
Classification Flam. Liq. 3 - H226		
3-methylbutan-1-ol		0.5 - <1%
CAS number: 123-51-3	EC number: 204-633-5	
Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335		
damascone delta		0.025 - <0.25%
CAS number: 57378-68-4	EC number: 260-709-8	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
Inhalation	The product is considered to be a low hazard under normal conditions of use. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
Ingestion	Rinse immediately with plenty of water. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Get medical attention if irritation persists after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse cautiously with water for several minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. The product contains a small amount of sensitising substance.
Inhalation	Symptoms following overexposure may include the following: Headache.

JELLY BELLY 3D AIR FRESHENER - Margarita

Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.
Skin contact	May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	May be slightly irritating to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	--

Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
---------------------------------------	--

5.2. Special hazards arising from the substance or mixture

Specific hazards	None known.
-------------------------	-------------

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO ₂). Carbon monoxide (CO).
--------------------------------------	---

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
---	---

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.
--	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Avoid contact with eyes and prolonged skin contact.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Avoid discharge to the aquatic environment.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.
--------------------------------	---

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
------------------------------------	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

JELLY BELLY 3D AIR FRESHENER - Margarita

Usage precautions Read and follow manufacturer's recommendations. Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. The product contains a sensitising substance. Persons susceptible to allergic reactions should not handle this product. Wash hands thoroughly after handling.

Advice on general occupational hygiene No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep in a cool place. Do not store near heat sources or expose to high temperatures.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

pentyl acetate

Long-term exposure limit (8-hour TWA): WEL 50 ppm 270 mg/m³

Short-term exposure limit (15-minute): WEL 100 ppm 541 mg/m³

3-methylbutan-1-ol

Long-term exposure limit (8-hour TWA): WEL 100 ppm 366 mg/m³

Short-term exposure limit (15-minute): WEL 125 ppm 458 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

Appropriate engineering controls Provide adequate ventilation.

Eye/face protection No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection No specific requirements are anticipated under normal conditions of use. Large Spillages: Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374.

Hygiene measures Good personal hygiene procedures should be implemented. Persons susceptible to allergic reactions should not handle this product. When using do not eat, drink or smoke. Wash hands thoroughly after handling.

Respiratory protection No specific requirements are anticipated under normal conditions of use. Large Spillages: Provide adequate ventilation. If ventilation is inadequate, suitable respiratory protection must be worn. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked.

Environmental exposure controls Avoid discharge to the aquatic environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Solid.

JELLY BELLY 3D AIR FRESHENER - Margarita

Colour	Green.
Odour	Margarita
Odour threshold	Not available.
pH	Not applicable.
Melting point	Not available.
Initial boiling point and range	Not applicable.
Flash point	Not available.
Evaporation rate	Not available.
Evaporation factor	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Bulk density	Not available.
Solubility(ies)	Not available.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information	None.
-------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No potentially hazardous reactions known.
------------------------------------	---

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time.
---------------------	---

10.5. Incompatible materials

JELLY BELLY 3D AIR FRESHENER - Margarita

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation May cause sensitisation or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Not relevant. Solid.

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure. The product contains a sensitising substance.

Inhalation Symptoms following overexposure may include the following: Headache.

JELLY BELLY 3D AIR FRESHENER - Margarita

Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.
Skin contact	May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	May cause temporary eye irritation.
Route of entry	Inhalation Ingestion Skin and/or eye contact

Toxicological information on ingredients.

dipentene

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ > 2000 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ > 2000 mg/kg/day, Dermal, Rat REACH dossier information. Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Data lacking.

Skin corrosion/irritation

Animal data Dose: 0.5ml, 4 hours, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Irritating.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Data lacking.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Data lacking.

Reproductive toxicity

Reproductive toxicity - fertility Data lacking.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

JELLY BELLY 3D AIR FRESHENER - Margarita

STOT - repeated exposure NOAEL 435.8 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard May be harmful if swallowed and enters airways.

citral

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 6,800.0

Species Rat

Notes (oral LD₅₀) REACH dossier information. Based on available data the classification criteria are not met.

ATE oral (mg/kg) 6,800.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,001.0

Species Rat

Notes (dermal LD₅₀) REACH dossier information. Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 2,001.0

Skin corrosion/irritation

Animal data Dose: , 2 hours, Rabbit Erythema/eschar score: Well defined erythema (2).
Oedema score: Slight oedema - edges of area well defined by definite raising (2).
REACH dossier information. Irritating.

Serious eye damage/irritation

Serious eye damage/irritation REACH dossier information. Causes serious eye irritation.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier information.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity NOAEL 60 mg/kg/day, Oral, Mouse REACH dossier information. Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Screening - NOAEL 200 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.

JELLY BELLY 3D AIR FRESHENER - Margarita

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 60 mg/kg/day, Oral, Mouse REACH dossier information. Based on available data the classification criteria are not met.

linalool

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,790.0

Species Rat

Notes (oral LD₅₀) REACH dossier information. Based on available data the classification criteria are not met.

ATE oral (mg/kg) 2,790.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,610.0

Species Rabbit

Notes (dermal LD₅₀) REACH dossier information. Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 5,610.0

Skin corrosion/irritation

Animal data Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Irritating.

Serious eye damage/irritation

Serious eye damage/irritation Dose: 0.1 ml, 1 second, Rabbit REACH dossier information. Causes serious eye irritation.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier information. May cause an allergic skin reaction.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Screening - NOAEL 500 mg/kg/day, Oral, Rat P REACH dossier information. Based on available data the classification criteria are not met.

Reproductive toxicity - development Maternal toxicity: - NOAEL: 500 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 160 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.

JELLY BELLY 3D AIR FRESHENER - Margarita

Aspiration hazard

Aspiration hazard

Not anticipated to present an aspiration hazard, based on chemical structure.

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity

Harmful to aquatic life with long lasting effects. There are no data on the ecotoxicity of this product.

Ecological information on ingredients.

dipentene

Acute toxicity - fish

LC₅₀, 96 hours: 5.07 mg/l, Freshwater fish
REACH dossier information.

Acute toxicity - aquatic invertebrates

NOEC, 48 hours: 1.6 mg/l, Daphnia magna
REACH dossier information.

citral

Acute toxicity - fish

LC₅₀, 96 hours: 6.78 mg/l, Leuciscus idus (Golden orfe)
REACH dossier information.

Acute toxicity - aquatic invertebrates

EC₅₀, 48 hours: 6.8 mg/l, Daphnia magna
REACH dossier information.

Acute toxicity - aquatic plants

EC₅₀, 72 hours: 103.8 mg/l, Scenedesmus subspicatus
REACH dossier information.

linalool

Acute toxicity - fish

LC₅₀, 96 hours: 27.8 mg/l, Onchorhynchus mykiss (Rainbow trout)
REACH dossier information.

Acute toxicity - aquatic invertebrates

EC₅₀, 48 hours: 59 mg/l, Daphnia magna
REACH dossier information.

Acute toxicity - aquatic plants

EC₅₀, 96 hours: 88.3 mg/l, Scenedesmus subspicatus
REACH dossier information.

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

dipentene

Biodegradation

Water - Degradation 83: 28 days
REACH dossier information.
The substance is readily biodegradable.

citral

Phototransformation

Water - Degradation 50: 37.35 minutes
REACH dossier information.

JELLY BELLY 3D AIR FRESHENER - Margarita

Biodegradation Water - Degradation 90: 28 days
REACH dossier information.
The substance is readily biodegradable.

linalool

Biodegradation Water - Degradation 64.2: 28 days
REACH dossier information.
The substance is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not available.

Ecological information on ingredients.

dipentene

Bioaccumulative potential The product is not bioaccumulating.

citral

Bioaccumulative potential BCF: 89.72, REACH dossier information. The product is not bioaccumulating.

Partition coefficient log Pow: 2.76 REACH dossier information.

linalool

Partition coefficient log Pow: 2.9 REACH dossier information.

12.4. Mobility in soil

Mobility The product is insoluble in water.

Ecological information on ingredients.

dipentene

Mobility Slightly soluble in water.

citral

Mobility The product is water-soluble and may spread in water systems.

Henry's law constant 0.000376 atm m³/mol @ 25°C REACH dossier information.

linalool

Mobility The product is water-soluble and may spread in water systems.

Surface tension 8.3 mN/m @ 20°C REACH dossier information.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

dipentene

JELLY BELLY 3D AIR FRESHENER - Margarita

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

citral

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

linalool

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects Not known.

Ecological information on ingredients.

dipentene

Other adverse effects None known.

citral

Other adverse effects Not known.

linalool

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. Avoid discharge to the aquatic environment. This material and its container must be disposed of in a safe way.

Disposal methods Waste packaging should be collected for reuse or recycling. Dispose of contents/container in accordance with local regulations.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

JELLY BELLY 3D AIR FRESHENER - Margarita

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Health and Safety at Work etc. Act 1974 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EH40/2005 Workplace exposure limits.

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
IMDG: International Maritime Dangerous Goods.
LC₅₀: Lethal Concentration to 50 % of a test population.
LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).
EC₅₀: 50% of maximal Effective Concentration.
PBT: Persistent, Bioaccumulative and Toxic substance.
vPvB: Very Persistent and Very Bioaccumulative.

Key literature references and sources for data

REACH dossier information. Source: European Chemicals Agency, <http://echa.europa.eu/>
Supplier's information.

Classification procedures according to Regulation (EC) 1272/2008

Skin Sens. 1 - H317, Aquatic Chronic 3 - H412: Calculation method.

Training advice

Read and follow manufacturer's recommendations.

Revision date

17/02/2017

JELLY BELLY 3D AIR FRESHENER - Margarita

Revision	2
Supersedes date	12/02/2015
SDS number	4731
Hazard statements in full	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.